

Barriere per bordo ponte

Guardrails for bridge



steel safety on roadways

Require Marcegaglia Buildtech full range of steel road safety barriers: from the **steel partner**, steel safety on roadways.

Marcegaglia Buildtech safety barriers solutions are part of Marcegaglia steel production chain and are engineered, assembled then **tested** in order to comply with specific **norm requirements**.

Certificazioni

Certifications - Zertifizierungen - Certifications - Certificaciones

- **RINA ISO 9001:2008** certificato N. 12370/05/S
- **IQNet - CISQ/RINA** Quality Management System
ISO 9001:2008 Registration N. IT-42009
- **Certificati CE** di costanza della prestazione

Crash tests

Crash tests - Crash-Tests - Essais de chocs - Crash tests




Sales office:

MARCEGAGLIA BUILDTECH guardrail division
strada Roveri, 4
15068 Pozzolo Formigaro, Alessandria - Italy
phone +39 . 0143 77 61 • fax +39 . 0143 77 63 53

guardrail@marcegaglia.com
www.marcegagliabuildtech.it

Plants:

MARCEGAGLIA BUILDTECH Pozzolo Formigaro
strada Roveri, 4
15068 Pozzolo Formigaro, Alessandria - Italy
phone +39 . 0143 77 61 • fax +39 . 0143 77 63 53



Componenti Components, Bauteile, Composants, Elementos

| | Descrizione Description | | Materiale Material | Codice Code |
|---|--|---------------------------|-----------------------|-----------------|
| 7 | Bullone completo Bolt with nut and washer, Schraube komplett, Boulon complet, Tornillo completo con tuerca y arandela | M16x50 mm | Classe 8.8 | 63800153 |
| 6 | | M16x30 mm | Classe 8.8 | 63800012 |
| 5 | Tirafondo + 2 dadi + 1 rondella Anchor bolt + 2 nuts + 1 washer, Verbundklebeankerschraube + 2 Mütter + 1 Unterlegscheibe, Tire-fond + 2 écrous + 1 rondelle, Varilla Roscada + 2 tuercas + 1 arandela | M20x280 mm | Classe 8.8 | 63800445 |
| 4 | Piastrina copriasola Slot covering plate, Lochabdeckplatte, Plaque de couverture fente, Placa cubre-ranura | 100x40x4 mm | S 275 JR + Zinc. | 59600127 |
| 3 | Trave superiore Upper T-beam, Geländerträger, Poutre supérieure, Viga superior | L=4800 Sv.450 mm Th=4 | S 355 JR + Zinc. | 59607108 |
| 2 | Palo con piastra Post with base plate, Vierkantrrohrsteher mit Grundplatte, Poteau tubulaire avec plaque, Poste de tubo con placa | HEA100 | S 275 JR + Zinc. | 59607111 |
| 1 | Fascia 3 onde 3-waves beam, 3-wellige Leitschiene, Glissière 3 crosses, Banda triple onda | L=4816 (1500x3) Th=2,5 mm | S 275 JR + Zinc. | 59300523 |