

Barriere spartitraffico

Central reserve guardrails



MARCEGAGLIA
BUILDTech

steel safety on roadways

Require Marcegaglia Buildtech full range of steel road safety barriers: from the **steel partner**, steel safety on roadways.

Marcegaglia Buildtech safety barriers solutions are part of Marcegaglia steel production chain and are engineered, assembled then **tested** in order to comply with specific **norm requirements**.

Certificazioni

Certifications - Zertifizierungen - Certifications - Certificaciones

- **RINA ISO 9001:2008** certificato N. 12370/05/S
- **IQNet - CISQ/RINA** Quality Management System
ISO 9001:2008 Registration N. IT-42009
- **Certificati CE** di costanza della prestazione

Crash tests

Crash tests - Crash-Tests - Essais de chocs - Crash tests



Classe H4 Spartitraffico - Barriera 3 onde W4 piastrata

Class H4 Central reserve - 3-waves guardrail W4 base plated



Aufhaltestufe H4 Mittelstreifenbereich - 3-welliges Rückhaltesystem W4 mit Grundplattensteher

Classe H4 Glissière centrale - Glissière 3 crosses simple W4 avec poteau avec platine

Clase H4 Paso de mediana - Barrera de triple onda simple W4 con placa

H4-W4

3-waves



Caratteristiche Characteristics, Eigenschaften, Caractéristiques, Características

Altezza barriera Barrier height, Höhe Leitplanke, Hauteur glissière de sécurité, Altura barrera	1310 ± 50 mm
Profondità d'infissione tirafondi Depth of anchor bolts penetration, Einschraubtiefe der Verankerungen, Prondeur de vissage des ancrages, Profundidad de anclaje varilla roscada	190 mm
Ingombro trasversale Overall width, Gesamtbreite, Grosseur hors tout, Anchura total	878 mm
Interasse pali Post spacing, Steherabstand, Distance entre poteaux, Distancia entre postes	1500 ± 10 mm

Rapporti di prova Crash test reports, Testberichte, Comptes rendus d'essais, Relaciones de pruebas

Test n.	Facility	Test	Type	Barrier length MTL	Mass kg	Speed km/h	ASI max 1.4	THIV max 33 km/h	D m	Vi m	W m
PROVA 1197	Aisico	TB81	Laterale 20°	72,00	38.000	65	-	-	0,8	2,1	1,3=W4
PROVA 1145	Aisico	TB11	Laterale 20°	72,00	900	100	1=A	28	0,4	-	0,9=W3


Sales office:

MARCEGAGLIA BUILDTECH guardrail division
strada Roveri, 4
15068 Pozzolo Formigaro, Alessandria - Italy
phone +39 . 0143 77 61 • fax +39 . 0143 77 63 53

guardrail@marcegaglia.com
www.marcegagliabuildtech.it

Plants:

MARCEGAGLIA BUILDTECH Pozzolo Formigaro
strada Roveri, 4
15068 Pozzolo Formigaro, Alessandria - Italy
phone +39 . 0143 77 61 • fax +39 . 0143 77 63 53


Componenti Components, Bauteile, Composants, Elementos

	Descrizione Description		Materiale Material	Codice Code
11	Tirafondo Anchor bolt, Verbundklebeankerschraube, Tire-fond, Varilla Roscada	M20x280 mm	Classe 8.8	63800445
10		M16x35 mm	Classe 8.8	63800059
9	Bullone completo Bolt with nut and washer, Schraube komplett, Boulon complet, Tornillo completo con tuerca y arandela	M16x50 mm	Classe 8.8	63800014
8		M16x30 mm	Classe 8.8	63800012
7	Piastrina copriasola Slot covering plate, Lochabdeckplatte, Plaque de couverture fente, Placa cubre-ranura	100x40x4 mm	S 275 JR	59600127
6	Collegamento trave intermedio Intermediate beam connection, Verbindung Zwischenträger, Raccord lisse intermédiaire, Unión viga intermedia	134x169 L=230	S 355 JR	59603906
5	Collegamento trave "U" U-profile for beam connection, U-Profil Für Geländerverbindung, Pièce de raccordement à "U", Perfil de conexión "U"	134x169 L=396	S 355 JR	59603903
4	Distanziatore romboidale Rhomboidal spacer, Rhomboidisch. Abstandhalter, Entretoise en losange, Separador romboidal	Th=5 mm	S 235 JR	59601255
3	Trave superiore Upper T-beam, Geländerträger, Poutre supérieure, Viga superior	L=4490 Sv=450 mm	S 355 JR	59603133
2	Palo "C" C-post, C-Steher, Poteau en C, Poste "C"	120x80x30 H=1280	S 275 JR	59401073
1	Fascia 3 onde 3-waves beam, 3-wellige Leitschiene, Glissière 3 crosses, Banda triple onda	L=4816 Th=2,5 mm	S 275 JR	59300523

